

Metro Industries, Inc
AS-568 Standard Size O-Rings

AS 568#	Nominal			Actual						
	Fractional Inches			Decimal Inches				Metric Millimeters		
	ID	OD	Wall	ID	+/-	OD	Wall	ID	OD	Wall
-001	1/32	3/32	1/32	0.029	0.004	0.109	0.04	0.7	2.8	1
-002	3/64	9/64	3/64	0.042	0.004	0.142	0.05	1.1	3.6	1.3
-003	1/16	3/16	1/16	0.056	0.004	0.176	0.06	1.4	4.5	1.5
-004	5/64	13/64	1/16	0.07	0.005	0.21	0.07	1.8	5.3	1.8
-005	3/32	7/32	1/16	0.101	0.005	0.241	0.07	2.6	6.1	1.8
-006	1/8	1/4	1/16	0.114	0.005	0.254	0.07	2.9	6.5	1.8
-007	5/32	9/32	1/16	0.145	0.005	0.285	0.07	3.7	7.2	1.8
-008	3/16	5/16	1/16	0.176	0.005	0.316	0.07	4.5	8	1.8
-009	7/32	11/32	1/16	0.208	0.005	0.348	0.07	5.3	8.8	1.8
-010	1/4	3/8	1/16	0.239	0.005	0.379	0.07	6.1	9.6	1.8
-011	5/16	7/16	1/16	0.301	0.005	0.441	0.07	7.6	11.2	1.8
-012	3/8	1/2	1/16	0.364	0.005	0.504	0.07	9.2	12.8	1.8
-013	7/16	9/16	1/16	0.426	0.005	0.566	0.07	10.8	14.4	1.8
-014	1/2	5/8	1/16	0.489	0.005	0.629	0.07	12.4	16	1.8
-015	9/16	11/16	1/16	0.551	0.007	0.691	0.07	14	17.6	1.8
-016	5/8	3/4	1/16	0.614	0.009	0.754	0.07	15.6	19.2	1.8
-017	11/16	13/16	1/16	0.676	0.009	0.816	0.07	17.2	20.7	1.8
-018	3/4	7/8	1/16	0.739	0.009	0.879	0.07	18.8	22.3	1.8
-019	13/16	15/16	1/16	0.801	0.009	0.941	0.07	20.3	23.9	1.8
-020	7/8	1	1/16	0.864	0.009	1.004	0.07	21.9	25.5	1.8
-021	15/16	1 1/16	1/16	0.926	0.009	1.066	0.07	23.5	27.1	1.8
-022	1	1 1/8	1/16	0.989	0.01	1.129	0.07	25.1	28.7	1.8
-023	1 1/16	1 3/16	1/16	1.051	0.01	1.191	0.07	26.7	30.3	1.8
-024	1 1/8	1 1/4	1/16	1.114	0.01	1.254	0.07	28.3	31.9	1.8
-025	1 3/16	1 5/16	1/16	1.176	0.011	1.316	0.07	29.9	33.4	1.8
-026	1 1/4	1 3/8	1/16	1.239	0.011	1.379	0.07	31.5	35	1.8
-027	1 5/16	1 7/16	1/16	1.301	0.011	1.441	0.07	33	36.6	1.8
-028	1 3/8	1 1/2	1/16	1.364	0.013	1.504	0.07	34.6	38.2	1.8
-029	1 1/2	1 5/8	1/16	1.489	0.013	1.629	0.07	37.8	41.4	1.8
-030	1 5/8	1 3/4	1/16	1.614	0.013	1.754	0.07	41	44.6	1.8
-031	1 3/4	1 7/8	1/16	1.739	0.015	1.879	0.07	44.2	47.7	1.8
-032	1 7/8	2	1/16	1.864	0.015	2.004	0.07	47.3	50.9	1.8
-033	2	2 1/8	1/16	1.989	0.018	2.129	0.07	50.5	54.1	1.8
-034	2 1/8	2 1/4	1/16	2.114	0.018	2.254	0.07	53.7	57.3	1.8
-035	2 1/4	2 3/8	1/16	2.239	0.018	2.379	0.07	56.9	60.4	1.8
-036	2 3/8	2 1/2	1/16	2.364	0.018	2.504	0.07	60	63.6	1.8
-037	2 1/2	2 5/8	1/16	2.489	0.018	2.629	0.07	63.2	66.8	1.8
-038	2 5/8	2 3/4	1/16	2.614	0.02	2.754	0.07	66.4	70	1.8
-039	2 3/4	2 7/8	1/16	2.739	0.02	2.879	0.07	69.6	73.1	1.8
-040	2 7/8	3	1/16	2.864	0.02	3.004	0.07	72.7	76.3	1.8
-041	3	3 1/8	1/16	2.989	0.024	3.129	0.07	75.9	79.5	1.8
-042	3 1/4	3 3/8	1/16	3.239	0.024	3.379	0.07	82.3	85.8	1.8
-043	3 1/2	3 5/8	1/16	3.489	0.024	3.629	0.07	88.6	92.2	1.8

Metro Industries, Inc
AS-568 Standard Size O-Rings

AS 568#	Nominal			Actual						
	Fractional Inches			Decimal Inches				Metric Millimeters		
	ID	OD	Wall	ID	+/-	OD	Wall	ID	OD	Wall
-044	3 3/4	3 7/8	1/16	3.739	0.027	3.879	0.07	95	98.5	1.8
-045	4	4 1/8	1/16	3.989	0.027	4.129	0.07	101.3	104.9	1.8
-046	4 1/4	4 3/8	1/16	4.239	0.03	4.379	0.07	107.7	111.2	1.8
-047	4 1/2	4 5/8	1/16	4.489	0.03	4.629	0.07	114	117.6	1.8
-048	4 3/4	4 7/8	1/16	4.739	0.03	4.879	0.07	120.4	123.9	1.8
-049	5	5 1/8	1/16	4.989	0.037	5.129	0.07	126.7	130.3	1.8
-102	1/16	1/4	3/32	0.049	0.005	0.255	0.103	1.2	6.5	2.6
-103	3/32	9/32	3/32	0.081	0.005	0.287	0.103	2.1	7.3	2.6
-104	1/8	5/16	3/32	0.112	0.005	0.318	0.103	2.8	8.1	2.6
-105	5/32	11/32	3/32	0.143	0.005	0.349	0.103	3.6	8.9	2.6
-106	3/16	3/8	3/32	0.174	0.005	0.38	0.103	4.4	9.7	2.6
-107	7/32	13/32	3/32	0.206	0.005	0.412	0.103	5.2	10.5	2.6
-108	1/4	7/16	3/32	0.237	0.005	0.443	0.103	6	11.3	2.6
-109	5/16	1/2	3/32	0.299	0.005	0.505	0.103	7.6	12.8	2.6
-110	3/8	9/16	3/32	0.362	0.005	0.568	0.103	9.2	14.4	2.6
-111	7/16	5/8	3/32	0.424	0.005	0.63	0.103	10.8	16	2.6
-112	1/2	11/16	3/32	0.487	0.005	0.693	0.103	12.4	17.6	2.6
-113	9/16	3/4	3/32	0.549	0.007	0.755	0.103	13.9	19.2	2.6
-114	5/8	13/16	3/32	0.612	0.009	0.818	0.103	15.5	20.8	2.6
-115	11/16	7/8	3/32	0.674	0.009	0.88	0.103	17.1	22.4	2.6
-116	3/4	15/16	3/32	0.737	0.009	0.943	0.103	18.7	24	2.6
-117	13/16	1	3/32	0.799	0.01	1.005	0.103	20.3	25.5	2.6
-118	7/8	1 1/16	3/32	0.862	0.01	1.068	0.103	21.9	27.1	2.6
-119	15/16	1 1/8	3/32	0.924	0.01	1.13	0.103	23.5	28.7	2.6
-120	1	1 3/16	3/32	0.987	0.01	1.193	0.103	25.1	30.3	2.6
-121	1 1/16	1 1/4	3/32	1.049	0.01	1.255	0.103	26.6	31.9	2.6
-122	1 1/8	1 5/16	3/32	1.112	0.01	1.318	0.103	28.2	33.5	2.6
-123	1 3/16	1 3/8	3/32	1.174	0.012	1.38	0.103	29.8	35.1	2.6
-124	1 1/4	1 7/16	3/32	1.237	0.012	1.443	0.103	31.4	36.7	2.6
-125	1 5/16	1 1/2	3/32	1.299	0.012	1.505	0.103	33	38.2	2.6
-126	1 3/8	1 9/16	3/32	1.362	0.012	1.568	0.103	34.6	39.8	2.6
-127	1 7/16	1 5/8	3/32	1.424	0.012	1.63	0.103	36.2	41.4	2.6
-128	1 1/2	1 11/16	3/32	1.487	0.012	1.693	0.103	37.8	43	2.6
-129	1 9/16	1 3/4	3/32	1.549	0.015	1.755	0.103	39.3	44.6	2.6
-130	1 5/8	1 13/16	3/32	1.612	0.015	1.818	0.103	40.9	46.2	2.6
-131	1 11/16	1 7/8	3/32	1.674	0.015	1.88	0.103	42.5	47.8	2.6
-132	1 3/4	1 15/16	3/32	1.737	0.015	1.943	0.103	44.1	49.4	2.6
-133	1 13/16	2	3/32	1.799	0.015	2.005	0.103	45.7	50.9	2.6
-134	1 7/8	2 1/16	3/32	1.862	0.015	2.068	0.103	47.3	52.5	2.6
-135	1 15/16	2 1/8	3/32	1.925	0.017	2.131	0.103	48.9	54.1	2.6
-136	2	2 3/16	3/32	1.987	0.017	2.193	0.103	50.5	55.7	2.6
-137	2 1/16	2 1/4	3/32	2.05	0.017	2.256	0.103	52.1	57.3	2.6
-138	2 1/8	2 5/16	3/32	2.112	0.017	2.318	0.103	53.6	58.9	2.6

Metro Industries, Inc
AS-568 Standard Size O-Rings

AS 568#	Nominal			Actual						
	Fractional Inches			Decimal Inches				Metric Millimeters		
	ID	OD	Wall	ID	+/-	OD	Wall	ID	OD	Wall
-139	2 3/16	2 3/8	3/32	2.175	0.017	2.381	0.103	55.2	60.5	2.6
-140	2 1/4	2 7/16	3/32	2.237	0.017	2.443	0.103	56.8	62.1	2.6
-141	2 5/16	2 1/2	3/32	2.3	0.02	2.506	0.103	58.4	63.7	2.6
-142	2 3/8	2 9/16	3/32	2.362	0.02	2.568	0.103	60	65.2	2.6
-143	2 7/16	2 5/8	3/32	2.425	0.02	2.631	0.103	61.6	66.8	2.6
-144	2 1/2	2 11/16	3/32	2.487	0.02	2.693	0.103	63.2	68.4	2.6
-145	2 9/16	2 3/4	3/32	2.55	0.02	2.756	0.103	64.8	70	2.6
-146	2 5/8	2 13/16	3/32	2.612	0.02	2.818	0.103	66.3	71.6	2.6
-147	2 11/16	2 7/8	3/32	2.675	0.022	2.881	0.103	67.9	73.2	2.6
-148	2 3/4	2 15/16	3/32	2.737	0.022	2.943	0.103	69.5	74.8	2.6
-149	2 13/16	3	3/32	2.8	0.022	3.006	0.103	71.1	76.4	2.6
-150	2 7/8	3 1/16	3/32	2.862	0.022	3.068	0.103	72.7	77.9	2.6
-151	3	3 3/16	3/32	2.987	0.024	3.193	0.103	75.9	81.1	2.6
-152	3 1/4	3 7/16	3/32	3.237	0.024	3.443	0.103	82.2	87.5	2.6
-153	3 1/2	3 11/16	3/32	3.487	0.024	3.693	0.103	88.6	93.8	2.6
-154	3 3/4	3 15/16	3/32	3.737	0.028	3.943	0.103	94.9	100.2	2.6
-155	4	4 3/16	3/32	3.987	0.028	4.193	0.103	101.3	106.5	2.6
-156	4 1/4	4 7/16	3/32	4.237	0.03	4.443	0.103	107.6	112.9	2.6
-157	4 1/2	4 11/16	3/32	4.487	0.03	4.693	0.103	114	119.2	2.6
-158	4 3/4	4 15/16	3/32	4.737	0.03	4.943	0.103	120.3	125.6	2.6
-159	5	5 3/16	3/32	4.987	0.035	5.193	0.103	126.7	131.9	2.6
-160	5 1/4	5 7/16	3/32	5.237	0.035	5.443	0.103	133	138.3	2.6
-161	5 1/2	5 11/16	3/32	5.487	0.035	5.693	0.103	139.4	144.6	2.6
-162	5 3/4	5 15/16	3/32	5.737	0.035	5.943	0.103	145.7	151	2.6
-163	6	6 3/16	3/32	5.987	0.035	6.193	0.103	152.1	157.3	2.6
-164	6 1/4	6 7/16	3/32	6.237	0.04	6.443	0.103	158.4	163.7	2.6
-165	6 1/2	6 11/16	3/32	6.487	0.04	6.693	0.103	164.8	170	2.6
-166	6 3/4	6 15/16	3/32	6.737	0.04	6.943	0.103	171.1	176.4	2.6
-167	7	7 3/16	3/32	6.987	0.04	7.193	0.103	177.5	182.7	2.6
-168	7 1/4	7 7/16	3/32	7.237	0.045	7.443	0.103	183.8	189.1	2.6
-169	7 1/2	7 11/16	3/32	7.487	0.045	7.693	0.103	190.2	195.4	2.6
-170	7 3/4	7 15/16	3/32	7.737	0.045	7.943	0.103	196.5	201.8	2.6
-171	8	8 3/16	3/32	7.987	0.045	8.193	0.103	202.9	208.1	2.6
-172	8 1/4	8 7/16	3/32	8.237	0.05	8.443	0.103	209.2	214.5	2.6
-173	8 1/2	8 11/16	3/32	8.487	0.05	8.693	0.103	215.6	220.8	2.6
-174	8 3/4	8 15/16	3/32	8.737	0.05	8.943	0.103	221.9	227.2	2.6
-175	9	9 3/16	3/32	8.987	0.05	9.193	0.103	228.3	233.5	2.6
-176	9 1/4	9 7/16	3/32	9.237	0.055	9.443	0.103	234.6	239.9	2.6
-177	9 1/2	9 11/16	3/32	9.487	0.055	9.693	0.103	241	246.2	2.6
-178	9 3/4	9 15/16	3/32	9.737	0.055	9.943	0.103	247.3	252.6	2.6
-201	3/16	7/16	1/8	0.171	0.005	0.449	0.139	4.3	11.4	3.5
-202	1/4	1/2	1/8	0.234	0.005	0.512	0.139	5.9	13	3.5
-203	5/16	9/16	1/8	0.296	0.005	0.574	0.139	7.5	14.6	3.5

Metro Industries, Inc
AS-568 Standard Size O-Rings

AS 568#	Nominal			Actual						
	Fractional Inches			Decimal Inches				Metric Millimeters		
	ID	OD	Wall	ID	+/-	OD	Wall	ID	OD	Wall
-204	3/8	5/8	1/8	0.359	0.005	0.637	0.139	9.1	16.2	3.5
-205	7/16	11/16	1/8	0.421	0.005	0.699	0.139	10.7	17.8	3.5
-206	1/2	3/4	1/8	0.484	0.005	0.762	0.139	12.3	19.4	3.5
-207	9/16	13/16	1/8	0.546	0.007	0.824	0.139	13.9	20.9	3.5
-208	5/8	7/8	1/8	0.609	0.009	0.887	0.139	15.5	22.5	3.5
-209	11/16	15/16	1/8	0.671	0.009	0.949	0.139	17	24.1	3.5
-210	3/4	1	1/8	0.734	0.01	1.012	0.139	18.6	25.7	3.5
-211	13/16	1 1/16	1/8	0.796	0.01	1.074	0.139	20.2	27.3	3.5
-212	7/8	1 1/8	1/8	0.859	0.01	1.137	0.139	21.8	28.9	3.5
-213	15/16	1 3/16	1/8	0.921	0.01	1.199	0.139	23.4	30.5	3.5
-214	1	1 1/4	1/8	0.984	0.01	1.262	0.139	25	32.1	3.5
-215	1 1/16	1 5/16	1/8	1.046	0.01	1.324	0.139	26.6	33.6	3.5
-216	1 1/8	1 3/8	1/8	1.109	0.012	1.387	0.139	28.2	35.2	3.5
-217	1 3/16	1 7/16	1/8	1.171	0.012	1.449	0.139	29.7	36.8	3.5
-218	1 1/4	1 1/2	1/8	1.234	0.012	1.512	0.139	31.3	38.4	3.5
-219	1 5/16	1 9/16	1/8	1.296	0.012	1.574	0.139	32.9	40	3.5
-220	1 3/8	1 5/8	1/8	1.359	0.012	1.637	0.139	34.5	41.6	3.5
-221	1 7/16	1 11/16	1/8	1.421	0.012	1.699	0.139	36.1	43.2	3.5
-222	1 1/2	1 3/4	1/8	1.484	0.015	1.762	0.139	37.7	44.8	3.5
-223	1 5/8	1 7/8	1/8	1.609	0.015	1.887	0.139	40.9	47.9	3.5
-224	1 3/4	2	1/8	1.734	0.015	2.012	0.139	44	51.1	3.5
-225	1 7/8	2 1/8	1/8	1.859	0.018	2.137	0.139	47.2	54.3	3.5
-226	2	2 1/4	1/8	1.984	0.018	2.262	0.139	50.4	57.5	3.5
-227	2 1/8	2 3/8	1/8	2.109	0.018	2.387	0.139	53.6	60.6	3.5
-228	2 1/4	2 1/2	1/8	2.234	0.02	2.512	0.139	56.7	63.8	3.5
-229	2 3/8	2 5/8	1/8	2.359	0.02	2.637	0.139	59.9	67	3.5
-230	2 1/2	2 3/4	1/8	2.484	0.02	2.762	0.139	63.1	70.2	3.5
-231	2 5/8	2 7/8	1/8	2.609	0.02	2.887	0.139	66.3	73.3	3.5
-232	2 3/4	3	1/8	2.734	0.024	3.012	0.139	69.4	76.5	3.5
-233	2 7/8	3 1/8	1/8	2.859	0.024	3.137	0.139	72.6	79.7	3.5
-234	3	3 1/4	1/8	2.984	0.024	3.262	0.139	75.8	82.9	3.5
-235	3 1/8	3 3/8	1/8	3.109	0.024	3.387	0.139	79	86	3.5
-236	3 1/4	3 1/2	1/8	3.234	0.024	3.512	0.139	82.1	89.2	3.5
-237	3 3/8	3 5/8	1/8	3.359	0.024	3.637	0.139	85.3	92.4	3.5
-238	3 1/2	3 3/4	1/8	3.484	0.024	3.762	0.139	88.5	95.6	3.5
-239	3 5/8	3 7/8	1/8	3.609	0.028	3.887	0.139	91.7	98.7	3.5
-240	3 3/4	4	1/8	3.734	0.028	4.012	0.139	94.8	101.9	3.5
-241	3 7/8	4 1/8	1/8	3.859	0.028	4.137	0.139	98	105.1	3.5
-242	4	4 1/4	1/8	3.984	0.028	4.262	0.139	101.2	108.3	3.5
-243	4 1/8	4 3/8	1/8	4.109	0.028	4.387	0.139	104.4	111.4	3.5
-244	4 1/4	4 1/2	1/8	4.234	0.03	4.512	0.139	107.5	114.6	3.5
-245	4 3/8	4 5/8	1/8	4.359	0.03	4.637	0.139	110.7	117.8	3.5
-246	4 1/2	4 3/4	1/8	4.484	0.03	4.762	0.139	113.9	121	3.5

Metro Industries, Inc
AS-568 Standard Size O-Rings

AS 568#	Nominal			Actual						
	Fractional Inches			Decimal Inches				Metric Millimeters		
	ID	OD	Wall	ID	+/-	OD	Wall	ID	OD	Wall
-247	4 5/8	4 7/8	1/8	4.609	0.03	4.887	0.139	117.1	124.1	3.5
-248	4 3/4	5	1/8	4.734	0.03	5.012	0.139	120.2	127.3	3.5
-249	4 7/8	5 1/8	1/8	4.859	0.035	5.137	0.139	123.4	130.5	3.5
-250	5	5 1/4	1/8	4.984	0.035	5.262	0.139	126.6	133.7	3.5
-251	5 1/8	5 3/8	1/8	5.109	0.035	5.387	0.139	129.8	136.8	3.5
-252	5 1/4	5 1/2	1/8	5.234	0.035	5.512	0.139	132.9	140	3.5
-253	5 3/8	5 5/8	1/8	5.359	0.035	5.637	0.139	136.1	143.2	3.5
-254	5 1/2	5 3/4	1/8	5.484	0.035	5.762	0.139	139.3	146.4	3.5
-255	5 5/8	5 7/8	1/8	5.609	0.035	5.887	0.139	142.5	149.5	3.5
-256	5 3/4	6	1/8	5.734	0.035	6.012	0.139	145.6	152.7	3.5
-257	5 7/8	6 1/8	1/8	5.859	0.035	6.137	0.139	148.8	155.9	3.5
-258	6	6 1/4	1/8	5.984	0.035	6.262	0.139	152	159.1	3.5
-259	6 1/4	6 1/2	1/8	6.234	0.04	6.512	0.139	158.3	165.4	3.5
-260	6 1/2	6 3/4	1/8	6.484	0.04	6.762	0.139	164.7	171.8	3.5
-261	6 3/4	7	1/8	6.734	0.04	7.012	0.139	171	178.1	3.5
-262	7	7 1/4	1/8	6.984	0.04	7.262	0.139	177.4	184.5	3.5
-263	7 1/4	7 1/2	1/8	7.234	0.045	7.512	0.139	183.7	190.8	3.5
-264	7 1/2	7 3/4	1/8	7.484	0.045	7.762	0.139	190.1	197.2	3.5
-265	7 3/4	8	1/8	7.734	0.045	8.012	0.139	196.4	203.5	3.5
-266	8	8 1/4	1/8	7.984	0.045	8.262	0.139	202.8	209.9	3.5
-267	8 1/4	8 1/2	1/8	8.234	0.05	8.512	0.139	209.1	216.2	3.5
-268	8 1/2	8 3/4	1/8	8.484	0.05	8.762	0.139	215.5	222.6	3.5
-269	8 3/4	9	1/8	8.734	0.05	9.012	0.139	221.8	228.9	3.5
-270	9	9 1/4	1/8	8.984	0.05	9.262	0.139	228.2	235.3	3.5
-271	9 1/4	9 1/2	1/8	9.234	0.055	9.512	0.139	234.5	241.6	3.5
-272	9 1/2	9 3/4	1/8	9.484	0.055	9.762	0.139	240.9	248	3.5
-273	9 3/4	10	1/8	9.734	0.055	10.012	0.139	247.2	254.3	3.5
-274	10	10 1/4	1/8	9.984	0.055	10.262	0.139	253.6	260.7	3.5
-275	10 1/2	10 3/4	1/8	10.484	0.055	10.762	0.139	266.3	273.4	3.5
-276	11	11 1/4	1/8	10.984	0.065	11.262	0.139	279	286.1	3.5
-277	11 1/2	11 3/4	1/8	11.484	0.065	11.762	0.139	291.7	298.8	3.5
-278	12	12 1/4	1/8	11.984	0.065	12.262	0.139	304.4	311.5	3.5
-279	13	13 1/4	1/8	12.984	0.065	13.262	0.139	329.8	336.9	3.5
-280	14	14 1/4	1/8	13.984	0.065	14.262	0.139	355.2	362.3	3.5
-281	15	15 1/4	1/8	14.984	0.065	15.262	0.139	380.6	387.7	3.5
-282	16	16 1/4	1/8	15.955	0.075	16.233	0.139	405.3	412.3	3.5
-283	17	17 1/4	1/8	16.955	0.08	17.233	0.139	430.7	437.7	3.5
-284	18	18 1/4	1/8	17.955	0.085	18.233	0.139	456.1	463.1	3.5
-309	7/16	13/16	3/16	0.412	0.005	0.832	0.21	10.5	21.1	5.3
-310	1/2	7/8	3/16	0.475	0.005	0.895	0.21	12.1	22.7	5.3
-311	9/16	15/16	3/16	0.537	0.007	0.957	0.21	13.6	24.3	5.3
-312	5/8	1	3/16	0.6	0.009	1.02	0.21	15.2	25.9	5.3
-313	11/16	1 1/16	3/16	0.662	0.009	1.082	0.21	16.8	27.5	5.3

Metro Industries, Inc
AS-568 Standard Size O-Rings

AS 568#	Nominal			Actual						
	Fractional Inches			Decimal Inches				Metric Millimeters		
	ID	OD	Wall	ID	+/-	OD	Wall	ID	OD	Wall
-314	3/4	1 1/8	3/16	0.725	0.01	1.145	0.21	18.4	29.1	5.3
-315	13/16	1 3/16	3/16	0.787	0.01	1.207	0.21	20	30.7	5.3
-316	7/8	1 1/4	3/16	0.85	0.01	1.27	0.21	21.6	32.3	5.3
-317	15/16	1 5/16	3/16	0.912	0.01	1.332	0.21	23.2	33.8	5.3
-318	1	1 3/8	3/16	0.975	0.01	1.395	0.21	24.8	35.4	5.3
-319	1 1/16	1 7/16	3/16	1.037	0.01	1.457	0.21	26.3	37	5.3
-320	1 1/8	1 1/2	3/16	1.1	0.012	1.52	0.21	27.9	38.6	5.3
-321	1 3/16	1 9/16	3/16	1.162	0.012	1.582	0.21	29.5	40.2	5.3
-322	1 1/4	1 5/8	3/16	1.225	0.012	1.645	0.21	31.1	41.8	5.3
-323	1 5/16	1 11/16	3/16	1.287	0.012	1.707	0.21	32.7	43.4	5.3
-324	1 3/8	1 3/4	3/16	1.35	0.012	1.77	0.21	34.3	45	5.3
-325	1 1/2	1 7/8	3/16	1.475	0.015	1.895	0.21	37.5	48.1	5.3
-326	1 5/8	2	3/16	1.6	0.015	2.02	0.21	40.6	51.3	5.3
-327	1 3/4	2 1/8	3/16	1.725	0.015	2.145	0.21	43.8	54.5	5.3
-328	1 7/8	2 1/4	3/16	1.85	0.015	2.27	0.21	47	57.7	5.3
-329	2	2 3/8	3/16	1.975	0.018	2.395	0.21	50.2	60.8	5.3
-330	2 1/8	2 1/2	3/16	2.1	0.018	2.52	0.21	53.3	64	5.3
-331	2 1/4	2 5/8	3/16	2.225	0.018	2.645	0.21	56.5	67.2	5.3
-332	2 3/8	2 3/4	3/16	2.35	0.018	2.77	0.21	59.7	70.4	5.3
-333	2 1/2	2 7/8	3/16	2.475	0.02	2.895	0.21	62.9	73.5	5.3
-334	2 5/8	3	3/16	2.6	0.02	3.02	0.21	66	76.7	5.3
-335	2 3/4	3 1/8	3/16	2.725	0.02	3.145	0.21	69.2	79.9	5.3
-336	2 7/8	3 1/4	3/16	2.85	0.02	3.27	0.21	72.4	83.1	5.3
-337	3	3 3/8	3/16	2.975	0.024	3.395	0.21	75.6	86.2	5.3
-338	3 1/8	3 1/2	3/16	3.1	0.024	3.52	0.21	78.7	89.4	5.3
-339	3 1/4	3 5/8	3/16	3.225	0.024	3.645	0.21	81.9	92.6	5.3
-340	3 3/8	3 3/4	3/16	3.35	0.024	3.77	0.21	85.1	95.8	5.3
-341	3 1/2	3 7/8	3/16	3.475	0.024	3.895	0.21	88.3	98.9	5.3
-342	3 5/8	4	3/16	3.6	0.028	4.02	0.21	91.4	102.1	5.3
-343	3 3/4	4 1/8	3/16	3.725	0.028	4.145	0.21	94.6	105.3	5.3
-344	3 7/8	4 1/4	3/16	3.85	0.028	4.27	0.21	97.8	108.5	5.3
-345	4	4 3/8	3/16	3.975	0.028	4.395	0.21	101	111.6	5.3
-346	4 1/8	4 1/2	3/16	4.1	0.028	4.52	0.21	104.1	114.8	5.3
-347	4 1/4	4 5/8	3/16	4.225	0.03	4.645	0.21	107.3	118	5.3
-348	4 3/8	4 3/4	3/16	4.35	0.03	4.77	0.21	110.5	121.2	5.3
-349	4 1/2	4 7/8	3/16	4.475	0.03	4.895	0.21	113.7	124.3	5.3
-350	4 5/8	5	3/16	4.6	0.03	5.02	0.21	116.8	127.5	5.3
-351	4 3/4	5 1/8	3/16	4.725	0.03	5.145	0.21	120	130.7	5.3
-352	4 7/8	5 1/4	3/16	4.85	0.03	5.27	0.21	123.2	133.9	5.3
-353	5	5 3/8	3/16	4.975	0.037	5.395	0.21	126.4	137	5.3
-354	5 1/8	5 1/2	3/16	5.1	0.037	5.52	0.21	129.5	140.2	5.3
-355	5 1/4	5 5/8	3/16	5.225	0.037	5.645	0.21	132.7	143.4	5.3
-356	5 3/8	5 3/4	3/16	5.35	0.037	5.77	0.21	135.9	146.6	5.3

Metro Industries, Inc
AS-568 Standard Size O-Rings

AS 568#	Nominal			Actual						
	Fractional Inches			Decimal Inches				Metric Millimeters		
	ID	OD	Wall	ID	+/-	OD	Wall	ID	OD	Wall
-357	5 1/2	5 7/8	3/16	5.475	0.037	5.895	0.21	139.1	149.7	5.3
-358	5 5/8	6	3/16	5.6	0.037	6.02	0.21	142.2	152.9	5.3
-359	5 3/4	6 1/8	3/16	5.725	0.037	6.145	0.21	145.4	156.1	5.3
-360	5 7/8	6 1/4	3/16	5.85	0.037	6.27	0.21	148.6	159.3	5.3
-361	6	6 3/8	3/16	5.975	0.037	6.395	0.21	151.8	162.4	5.3
-362	6 1/4	6 5/8	3/16	6.225	0.04	6.645	0.21	158.1	168.8	5.3
-363	6 1/2	6 7/8	3/16	6.475	0.04	6.895	0.21	164.5	175.1	5.3
-364	6 3/4	7 1/8	3/16	6.725	0.04	7.145	0.21	170.8	181.5	5.3
-365	7	7 3/8	3/16	6.975	0.04	7.395	0.21	177.2	187.8	5.3
-366	7 1/8	7 1/2	3/16	7.225	0.045	7.645	0.21	183.5	194.2	5.3
-367	7 1/4	7 5/8	3/16	7.475	0.045	7.895	0.21	189.9	200.5	5.3
-368	7 3/4	8 1/8	3/16	7.725	0.045	8.145	0.21	196.2	206.9	5.3
-369	8	8 3/8	3/16	7.975	0.045	8.395	0.21	202.6	213.2	5.3
-370	8 1/4	8 5/8	3/16	8.225	0.05	8.645	0.21	208.9	219.6	5.3
-371	8 1/2	8 7/8	3/16	8.475	0.05	8.895	0.21	215.3	225.9	5.3
-372	8 3/4	9 1/8	3/16	8.725	0.05	9.145	0.21	221.6	232.3	5.3
-373	9	9 3/8	3/16	8.975	0.05	9.395	0.21	228	238.6	5.3
-374	9 1/4	9 5/8	3/16	9.225	0.055	9.645	0.21	234.3	245	5.3
-375	9 1/2	9 7/8	3/16	9.475	0.055	9.895	0.21	240.7	251.3	5.3
-376	9 3/4	10 1/8	3/16	9.725	0.055	10.145	0.21	247	257.7	5.3
-377	10	10 3/8	3/16	9.975	0.055	10.395	0.21	253.4	264	5.3
-378	10 1/2	10 7/8	3/16	10.475	0.06	10.895	0.21	266.1	276.7	5.3
-379	11	11 3/8	3/16	10.975	0.06	11.395	0.21	278.8	289.4	5.3
-380	11 1/2	11 7/8	3/16	11.475	0.065	11.895	0.21	291.5	302.1	5.3
-381	12	12 3/8	3/16	11.975	0.065	12.395	0.21	304.2	314.8	5.3
-382	13	13 3/8	3/16	12.975	0.065	13.395	0.21	329.6	340.2	5.3
-383	14	14 3/8	3/16	13.975	0.07	14.395	0.21	355	365.6	5.3
-384	15	15 3/8	3/16	14.975	0.07	15.395	0.21	380.4	391	5.3
-385	16	16 3/8	3/16	15.955	0.075	16.375	0.21	405.3	415.9	5.3
-386	17	17 3/8	3/16	16.955	0.075	17.375	0.21	430.7	441.3	5.3
-387	18	18 3/8	3/16	17.955	0.085	18.375	0.21	456.1	466.7	5.3
-388	19	19 3/8	3/16	18.955	0.09	19.375	0.21	481.5	492.1	5.3
-389	20	20 3/8	3/16	19.955	0.095	20.375	0.21	506.9	517.5	5.3
-390	21	21 3/8	3/16	20.955	0.095	21.375	0.21	532.3	542.9	5.3
-425	4 1/2	5	1/4	4.475	0.033	5.025	0.275	113.7	127.6	7
-426	4 5/8	5 1/8	1/4	4.6	0.033	5.15	0.275	116.8	130.8	7
-427	4 3/4	5 1/4	1/4	4.725	0.033	5.275	0.275	120	134	7
-428	4 7/8	5 3/8	1/4	4.85	0.033	5.4	0.275	123.2	137.2	7
-429	5	5 1/2	1/4	4.975	0.037	5.525	0.275	126.4	140.3	7
-430	5 1/8	5 5/8	1/4	5.1	0.037	5.65	0.275	129.5	143.5	7
-431	5 1/4	5 3/4	1/4	5.225	0.037	5.775	0.275	132.7	146.7	7
-432	5 3/8	5 7/8	1/4	5.35	0.037	5.9	0.275	135.9	149.9	7
-433	5 1/2	6	1/4	5.475	0.037	6.025	0.275	139.1	153	7

Metro Industries, Inc
AS-568 Standard Size O-Rings

AS 568#	Nominal			Actual						
	Fractional Inches			Decimal Inches				Metric Millimeters		
	ID	OD	Wall	ID	+/-	OD	Wall	ID	OD	Wall
-434	5 5/8	6 1/8	1/4	5.6	0.037	6.15	0.275	142.2	156.2	7
-435	5 3/4	6 1/4	1/4	5.725	0.037	6.275	0.275	145.4	159.4	7
-436	5 7/8	6 3/8	1/4	5.85	0.037	6.4	0.275	148.6	162.6	7
-437	6	6 1/2	1/4	5.975	0.037	6.525	0.275	151.8	165.7	7
-438	6 1/4	6 3/4	1/4	6.225	0.04	6.775	0.275	158.1	172.1	7
-439	6 1/2	7	1/4	6.475	0.04	7.025	0.275	164.5	178.4	7
-440	6 3/4	7 1/4	1/4	6.725	0.04	7.275	0.275	170.8	184.8	7
-441	7	7 1/2	1/4	6.975	0.04	7.525	0.275	177.2	191.1	7
-442	7 1/4	7 3/4	1/4	7.225	0.045	7.775	0.275	183.5	197.5	7
-443	7 1/2	8	1/4	7.475	0.045	8.025	0.275	189.9	203.8	7
-444	7 3/4	8 1/4	1/4	7.725	0.045	8.275	0.275	196.2	210.2	7
-445	8	8 1/2	1/4	7.975	0.045	8.525	0.275	202.6	216.5	7
-446	8 1/2	9	1/4	8.475	0.055	9.025	0.275	215.3	229.2	7
-447	9	9 1/2	1/4	8.975	0.055	9.525	0.275	228	241.9	7
-448	9 1/2	10	1/4	9.475	0.055	10.025	0.275	240.7	254.6	7
-449	10	10 1/2	1/4	9.975	0.055	10.525	0.275	253.4	267.3	7
-450	10 1/2	11	1/4	10.475	0.06	11.025	0.275	266.1	280	7
-451	11	11 1/2	1/4	10.975	0.06	11.525	0.275	278.8	292.7	7
-452	11 1/2	12	1/4	11.475	0.06	12.025	0.275	291.5	305.4	7
-453	12	12 1/2	1/4	11.975	0.06	12.525	0.275	304.2	318.1	7
-454	12 1/2	13	1/4	12.475	0.06	13.025	0.275	316.9	330.8	7
-455	13	13 1/2	1/4	12.975	0.06	13.525	0.275	329.6	343.5	7
-456	13 1/2	14	1/4	13.475	0.07	14.025	0.275	342.3	356.2	7
-457	14	14 1/2	1/4	13.975	0.07	14.525	0.275	355	368.9	7
-458	14 1/2	15	1/4	14.475	0.07	15.025	0.275	367.7	381.6	7
-459	15	15 1/2	1/4	14.975	0.07	15.525	0.275	380.4	394.3	7
-460	15 1/2	16	1/4	15.475	0.07	16.025	0.275	393.1	407	7
-461	16	16 1/2	1/4	15.955	0.075	16.505	0.275	405.3	419.2	7
-462	16 1/2	17	1/4	16.455	0.075	17.005	0.275	418	431.9	7
-463	17	17 1/2	1/4	16.955	0.08	17.505	0.275	430.7	444.6	7
-464	17 1/2	18	1/4	17.455	0.085	18.005	0.275	443.4	457.3	7
-465	18	18 1/2	1/4	17.955	0.085	18.505	0.275	456.1	470	7
-466	18 1/2	19	1/4	18.455	0.085	19.005	0.275	468.8	482.7	7
-467	19	19 1/2	1/4	18.955	0.09	19.505	0.275	481.5	495.4	7